



# NYROLL™

## WHEELS

# 800-1,800 LBS



### FEATURES

**BEARINGS:** Plain, Precision, Roller Bearing, Caged Roller Bearing  
**TEMPERATURE:** -45°F to 200°F  
**COLOURS:** White  
**DUROMETER:** 80 (+/- 5) D Scale  
**DESCRIPTION:** This non-marking nylon wheel is a low cost alternative while providing high load capacities.

The Nyroll wheel is resistant to impact abrasion, corrosion and the effect of many chemicals. Nyroll™ wheels are resistant to oils, fats, most alkalis, soaps and detergents but should not be used in contact acids. One of the benefits of nylon is that it is unaffected by water and its use in the wet environments actually enhances its self-lubricating properties. This wheel is ideal for industrial and institutional applications.

### EXCELLENT FOR:

- Floor protection
- Factory use
- Waste bins
- Platform trucks
- Stock trucks
- Heavy material handling
- Easy rolling
- Heavy loads



NYROLL™(WOW)



NYROLL™

### OPTIONS:

BB Ball Bearing  
 BR Bronze Bushing  
 DB Delrin Bearing  
 NB Nylon Roller Bearing  
 PB Precision Ball Bearing  
 PBSS Stainless Steel Precision Bearing  
 RB Roller Bearing  
 RBC Caged Roller Bearing  
 RBSS Stainless Steel Roller Bearing  
 SSW Steel Side Washer  
 SWH Heat-treated Side Washer  
 T Through Bore (for NYNW only)  
 TB Tapered Bearing  
 TG Thread Guards  
 Z Zerk in Wheel

### SPECIAL:

Resistant to most chemicals  
 Non-marking  
 Moisture friendly  
 Maintenance free  
 One piece solid nylon  
 Same capacity as Steel wheels  
 Custom sizes available

- ♦ wheel has one closed side to eliminate side washer and for easier assembly



WHEEL							PART NUMBER		
Diameter	Tread Width	Capacity Lbs.	Hub Length	Standard Bore	Alternative Bore	Bearing Type	Part Number	Wheel Weight (lbs)	
4"	1 1/2"	700	1 5/8"	1 3/16"	—	Plain Roller	W-6204-NYN	0.45	
		700	1 13/16"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-6204-NYN-RB	0.80	
	2"	1,000	2 3/16"	1 3/16"	—	Plain Roller	W-7004-NYN	0.78	
		1,000	2 3/8"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-7004-NYN-RB	1.22	
		1,000	2 3/16"	1 3/16"	—	Plain Roller	W-7004-NYNW*	0.78	
		1,000	2 3/8"	1 1/2"	5/8" * 3/4"	Plain Roller	W-7004-NYNW-RB	1.06	
5"	1 1/2"	800	1 5/8"	1 3/16"	—	Plain Roller	W-6205-NYN	0.62	
		800	1 13/16"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-6205-NYN-RB	1.00	
	2"	1,200	2 3/16"	1 3/16"	—	Plain Roller	W-7005-NYN	1.14	
		1,200	2 3/8"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-7005-NYN-RB	1.58	
		1,200	2 3/16"	1 3/16"	—	Plain Roller	W-7005-NYNW*	0.94	
		1,200	2 3/8"	1 1/2"	5/8" * 3/4"	Plain Roller	W-7005-NYNW-RB	1.22	
	2 1/2"	1,300	2 3/4"	1 15/16"	—	Plain Precision Roller	W-7105-NYN	1.98	
		1,300	3"	3/4"	—	Plain Precision Roller	W-7105-NYN-PB	2.36	
6"	1 1/2"	900	1 5/8"	1 3/16"	—	Plain Roller	W-6206-NYN	1.22	
		900	1 13/16"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-6206-NYN-RB	1.52	
	2"	1,400	2 3/16"	1 3/16"	—	Plain Roller	W-7006-NYN	1.61	
		1,400	2 3/8"	1 1/2"	3/8" * 5/8" * 3/4"	Plain Roller	W-7006-NYN-RB	2.05	
		1,400	2 3/16"	1 3/16"	—	Plain Roller	W-7006-NYNW*	1.61	
		1,400	2 3/8"	1 1/2"	5/8" * 3/4"	Plain Roller	W-7006-NYNW-RB	2.05	
	2 1/2"	1,600	2 3/4"	1 15/16"	—	Plain Precision Roller	W-7106-NYN	2.33	
		1,600	3"	3/4"	—	Plain Precision Roller	W-7106-NYN-PB	3.82	
8"	2"	1,600	2 3/16"	1 3/16"	—	Plain Roller	W-7008-NYN	2.45	
		1,600	2 3/8"	1 1/2"	5/8" * 3/4"	Plain Roller	W-7008-NYN-RB	2.89	
		1,600	2 3/16"	1 3/16"	—	Plain Roller	W-7008-NYNW*	1.81	
		1,600	2 3/8"	1 1/2"	5/8" * 3/4"	Plain Roller	W-7008-NYNW-RB	2.09	
	2 1/2"	1,800	2 3/4"	1 15/16"	—	Plain Precision Roller	W-7108-NYN	4.23	
		1,800	3"	3/4"	—	Plain Precision Roller	W-7108-NYN-PB	5.58	
		1,800	2 27/32"	3/4"	1" * 1 1/4"	Plain Precision Roller	W-7108-NYN-RB	5.88	